



## SG10TCC

BAKERY OVEN 10 TRAYS 600 X 400 - GN 1/1  
7" CAPACITIVE TOUCH CONTROL  
SELF CLEAN INTEGRATED



## FUNCTIONAL CHARACTERISTICS

|                              |                       |
|------------------------------|-----------------------|
| Display                      | 7" CAPACITIVE TOUCH   |
| Supply                       | ELECTRIC              |
| Timer                        | -                     |
| Number of motors             | 3                     |
| Motor speeds                 | 10                    |
| Max cooking temperature (°C) | 260°C                 |
| Core probe                   | 3 Points PT1000       |
| Cooking chamber material     | AISI304               |
| Opening door                 | Right handle          |
| Chimney                      | 50 mm Motorized valve |

## STANDARDS

|               |    |
|---------------|----|
| Certification | CE |
|---------------|----|

## TRAYS

|               |                    |
|---------------|--------------------|
| Trays rack    | Sheet PA-BIV 10/80 |
| Max tray load | 4kg                |

## DIMENSIONS

|                                     |                   |
|-------------------------------------|-------------------|
| Oven size with handle WxDxH (mm)    | 792 x 1021 x 1277 |
| Oven size without handle WxDxH (mm) | 793 x 954 x 1277  |
| Chamber size WxDxH (mm)             | 460 x 630 x 948   |
| Unit weight (Kg)                    | 134               |

## PACKAGING

|                                 |                     |
|---------------------------------|---------------------|
| Packaging                       | PALLET + CARTON BOX |
| Packaging size WxDxH (mm)       | 880 x 1110 x 1456   |
| Unit weight with packaging (Kg) | 150                 |
| Crate packaging size (optional) | 880 X 1110 X 1458   |

## ELECTRICAL DATA

|                     |                          |
|---------------------|--------------------------|
| HEATERS 5kW 50/60Hz |                          |
| Power               | 16,1kW                   |
| Frequency           | 50/60Hz                  |
| Power supply        | 380-415V 3N~/220-240V 3~ |
| Amperage            | 26,6A / 41,8A            |
| Power cord req.     | 5G4/4G6                  |

|                                      |                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>HEATERS 6,5kW 50/60Hz</b>         |                                                                                                                              |
| Power                                | 19kW                                                                                                                         |
| Frequency                            | 50/60Hz                                                                                                                      |
| Power supply                         | 380-415V 3N~                                                                                                                 |
| Amperage                             | 30,8A                                                                                                                        |
| Power cord req.                      | 5G4                                                                                                                          |
| <b>WATER CONNECTION REQUIREMENTS</b> |                                                                                                                              |
| Humidification / Washing Water Inlet | 3/4" GAS                                                                                                                     |
| Water drain                          | 50 mm                                                                                                                        |
| Max water hardness                   | 5°f                                                                                                                          |
| Water pressure requirement min-max   | 150-200 kPa                                                                                                                  |
| <b>CONSUMPTION</b>                   |                                                                                                                              |
| Humidification Water (L/h)           | 6,1l/h max consumption                                                                                                       |
| Rinse Water @2barG                   | 17,8l                                                                                                                        |
| Short Washing Water @2barG           | 35l                                                                                                                          |
| Long Washing Water @2barG            | 71,8l                                                                                                                        |
| Short Washing Detergent *            | 234,4g                                                                                                                       |
| Long Washing Detergent *             | 334,8g                                                                                                                       |
| <b>CONNECTIVITY</b>                  |                                                                                                                              |
| USB                                  | USB 2.0                                                                                                                      |
| Bluetooth                            | -                                                                                                                            |
| Ethernet RJ45                        | -                                                                                                                            |
| Wi-Fi                                | Standard                                                                                                                     |
| Cloud                                | Available as Optional                                                                                                        |
| <b>ACCESSORIES</b>                   |                                                                                                                              |
| Self clean system kit                | S1                                                                                                                           |
| Oven stand                           | TA7984H17X<br>TA7984H30X<br>TA7984H40S-TA7984H40X<br>TA7984H49S-TA7984H49X<br>TA7984H70S-TA7984H70X<br>TA7984H80S-TA7984H80X |
| Hood (Air)                           | POSGMAF1<br>POSGMAF2                                                                                                         |
| Hood (Water)                         | POSGMWF1<br>POSGMWF2                                                                                                         |

|                            |                  |
|----------------------------|------------------|
| External Core Probe        | CP1              |
| Sous Vide Core Probe       | CP4              |
| Proofer                    | CA7912           |
| Stacking kit for 2 ovens   | SKSG15<br>SKSG85 |
| Smoker                     | SMK02            |
| Bast Chiller               | ASP05            |
| Blast chiller stacking kit | SK16             |
| Water softner cover        | WS10             |
| Water softner 6800L        | WS11             |
| Water softner 12000L       | WS12             |
| Water pressure adapter     | WPA              |
| Water shower kit           | S1               |
| Detergent 6KG              | DT2              |
| Detergent10KG              | DT4              |